# **Product Information**

## **AVENO FS Dexron II E RED**

0002-000184



### Description

Appearance

Pour Point

Density at 15°C

RED

837

-57

AVENO FS Dexron II E RED is a very high-quality, synthetic gear fluid for automatic gearboxes of vehicles with the specifications GM Dexron<sup>®</sup> II, Ford Mercon<sup>®</sup> and Allison C-4.

#### Instructions for use

AVENO FS Dexron II E RED was developed for use in built-in automatic gearboxes as well as torque converters and power shift gears with prescribed specifications. It is recommended if an ATF type Dexron II E must be used in accordance with the manufacturer's specifications.

Quality classification			
Specification			
• GM Dexron <sup>®</sup> II E			
Recommendation			
• Allison C-4-32652009 (ATF II E)		• MB 236.5, DTFR 13C150 (236.8)	
• Caterpillar TO-2		• Voith 55.6336.3x Extended Drain (G1363)	
• Ford MERCON®		• ZF TE-ML 04D/09X/14B/16L	
• MAN 339 Typ Z-2/V-2			
Properties			
High thermal load capacity		Very stable viscosity-temperature behavior	
• Foam-free		<ul> <li>Reliable protection against wear, silting and corrosion</li> </ul>	
Neutral towards sealing agents		<ul> <li>Problem-free, both at very low and very high temperatures</li> </ul>	
Technical specifications			
Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	33.0	mm²/s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	7.2	mm²/s	DIN 51659-2:2017-02
Viscosity Index	191		DIN ISO 2909:2004-08

kg/m³

°C

VISUELL

DIN EN ISO 12185:1997-11

ASTM D 7346:2015

#### Deutsche Ölwerke Lubmin GmbH | Freesendorfer Weg 4 | 17509 Lubmin | Phone +49 38354 / 179530 | Fax +49 38354 / 179579

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.