## **Product Information**

## **AVENO MBike 20W-40**

0002-000711



## Description

AVENO MBike 20W-40 is a motor oil based on hydrocrack oils with selected additives for demanding 4-stroke motorcycles. It is characterized by high resilience and reliabilityand is specially designed for wet and oil-lubricated clutches. AVENO MBike 20W-40 has excellent lubricating film adhesion, good shearing stability, excellent cleaning power and high aging resistance.

## Instructions for use

AVENO MBike 20W-40 eignet sich als Motorenöl für alle Motorräder, wenn die Spezifikation SAE 20W-40 gefordert wird.

Quality classification				
Specification				
• API SN		• JASO MA2	• JASO MA2	
Properties				
Excellent cold start properties		<ul> <li>Outstanding shear sta</li> </ul>	Outstanding shear stability	
High oxidation stability		<ul> <li>Very good detergent</li> </ul>	<ul> <li>Very good detergent and dispersing properties</li> </ul>	
Prevention of black sludge formation		<ul> <li>Very good viscosity-te</li> </ul>	<ul> <li>Very good viscosity-temperature behaviorcatalyst suitability</li> </ul>	
Technical specifications				
Properties	Data	Unit	Testing under	
Kinematic Viscosity at 40°C	124.9	mm²/s	DIN 51659-2:2017-02	
Kinematic Viscosity at 100°C	14.2	mm²/s	DIN 51659-2:2017-02	
Viscosity Index	113		DIN ISO 2909:2004-08	
Appearance	YELLOWBROWN		VISUELL	
Density at 15°C	875	kg/m³	DIN EN ISO 12185:1997-11	
Pour Point	-39	°C	ASTM D 7346:2015	
Total Base Number (TBN)	7.9	mgKOH/g	ASTM D 2896:2021	

Deutsche Ölwerke Lubmin GmbH | Freesendorfer Weg 4 | 17509 Lubmin | Phone +49 38354 / 179530 | Fax +49 38354 / 179579

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.